CORRECTION Open Access

Correction: The interaction between antenatal care and abnormal temperature during delivery and its relationship with postpartum care: a prospective study of 1,538 women in semi-rural Uganda

Nicholas E. Rahim¹, Joseph Ngonzi², Adeline A. Boatin³, Ingrid V. Bassett⁴, Mark J. Siedner^{5,6}, Godfrey R. Mugyenyi² and Lisa M. Bebell^{7*}

Correction: BMC Pregnancy Childbirth 22, 860 (2022) https://doi.org/10.1186/s12884-022-05207-8

Following publication of the original article [1], the authors identified an error in Fig. 1. The correct figure is given below.

The original article [1] has been corrected.

Author details

¹Medical Practice Evaluation Center, Massachusetts General Hospital, Boston, USA. ²Department of Obstetrics and Gynaecology, Faculty of Medicine, Mbarara University of Science and Technology, Mbarara, Uganda. ³Department of Obstetrics and Gynecology and Center for Global Health, Massachusetts General Hospital, Boston, USA. ⁴Department of Medicine, Division of Infectious Diseases, Medical Practice Evaluation Center, Massachusetts General Hospital, Harvard Medical School, Boston, USA. ⁵Department of Medicine, Division of Infectious Diseases, Medical Practice Evaluation Center, Center for Global Health, Massachusetts General Hospital, Harvard Medical School, Boston, USA. ⁶Mbarara University of Science and Technology, Mbarara, Uganda. ⁷Department of Medicine, Division of Infectious Diseases, Medical Practice Evaluation Center, Center for Global Health, Massachusetts General Hospital, Harvard Medical School, 55 Fruit St, GRJ-504, Boston, MA 02114, USA.

The original article can be found online at https://doi.org/10.1186/s12884-022-05207-8.

*Correspondence: lbebell@mgh.harvard.edu

Published online: 21 December 2022

Reference

 Rahim NE, Ngonzi J, Boatin AA, et al. The interaction between antenatal care and abnormal temperature during delivery and its relationship with postpartum care: a prospective study of 1,538 women in semi-rural Uganda. BMC Pregnancy Childbirth. 2022;22:860. https://doi.org/10.1186/ s12884-022-05207-8.



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

⁷ Department of Medicine, Division of Infectious Diseases, Medical Practice Evaluation Center, Center for Global Health, Massachusetts General Hospital, Harvard Medical School, 55 Fruit St, GRJ-504, Boston, MA 02114, USA Full list of author information is available at the end of the article




Fig. 1 Healthcare utilization reported during the postpartum period, by ANC utilization in pregnancy and temperature during inpatient delivery stay. legend: Tests of association between healthcare utilization and study group were performed using chi-squared tests, with * indicating *P*-value < 0.1, ** indicating *P*-value < 0.05, and *** indicating *P*-value < 0.01. Error bars illustrate 95% confidence intervals. Abbreviations: ANC = antenatal care