CORRECTION Open Access



Correction: Do maternal albumin levels affect post-operative complications after cesarean delivery?

Yael Yagur*, Rachel Ribak, Emili Ben Ezry, Ido Cohen, Libby Or Madar, Michal Kovo and Tal Biro

Correction: BMC Pregnancy Childbirth 22, 909 (2022) https://doi.org/10.1186/s12884-022-05215-8

Following the publication of the original article [1], it was noted that due to a typesetting error the heading of the second column of Tables 1 and 2 should read "Serum albumin level $< 3.3 \ (n = 250)$.

The correct tables have been included in this correction, and the original article has been corrected.

Published online: 31 December 2022

Reference

 Yagur Y, Ribak R, Ben Ezry E, et al. Do maternal albumin levels affect post-operative complications after cesarean delivery? BMC Pregnancy Childbirth. 2022;22:909. https://doi.org/10.1186/s12884-022-05215-8.

The original article can be found online at https://doi.org/10.1186/s12884-022-05215-8.

*Correspondence: yaelyagur@gmail.com

Department of Obstetrics and Gynecology, Meir Medical Center, Kfar Saba, Israel Affiliated With Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativeccommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Table 1 Demographic characteristics of the study groups

Characteristic	Serum albumin level $<$ 3.3 ($n = 250$)	Serum albumin level \geq 3.3 ($n = 287$)	<i>P</i> -value
Age (years)	34.4 ± 5.3	33.7±5.3	0.15
Ethnicity			
Jewish	189 (74.4%)	229 (80.1%)	0.14
Muslim	63 (25.3%)	57 (19.9%)	
Cesarean delivery			
No previous CD	66 (26.4%)	56 (19.5%)	
One previous CD	98 (39.2%)	113 (39.4%)	0.11
More than one previous CD	86 (34.4%)	118 (41.1%)	
Diabetes mellitus	40 (16.1%)	50 (17.7%)	0.62
Smoker	13 (5.3%)	18 (6.4%)	0.60
BMI (kg/m ²⁾			
BMI < 25	130 (57%)	175 (67.3%)	0.02
BMI ≥25	98 (43%)	85 (32.7%)	
Primigravida	43 (17.2%)	29 (10.1%)	0.02
Laboratory tests at admission			
Hemoglobin (g/dl)	11.3 ± 1.2	11.8 ± 1.1	< 0.001
Hematocrit (%)	33.9 ± 3.9	35.2 ± 3.2	< 0.001
White blood cells (K/microL)	8.9 ± 2.3	9.4 ± 2.1	0.009
Platelets (K/microL)	207.1 ± 59	209.1 ± 53.6	0.68
Total protein (g/dl)	6.2 ± 0.4	6.8 ± 0.3	0.007
Cholesterol (mg/dL)	262.9 ± 55.1	279.5±57	0.001
Neonatal birth-weight (g)	3149±516	3197±536	0.27
_			

Data are shown as number (%), mean \pm standard deviation or median (range), as appropriate; GDMA1-gestational diabetes mellitus A1; GDMA2-gestational diabetes mellitus A2; BMI-body mass index (kg/m²)

Table 2 Post-partum maternal morbidity

Variable	Serum albumin level $<$ 3.3 ($n = 250$)	Serum albumin level \geq 3.3 ($n = 287$)	<i>P</i> -value
Duration of hospitalization (days)	3.1 ± 0.4	3.0±0.3	0.08
Rehospitalization rate	1 (0.4%)	15 (5.2%)	0.001
Surgical site infection	4 (1.6%)	16 (5.6%)	0.02
Positive blood culture	1 (0.6%)	7 (3.4%)	0.05
Antibiotic treatment	8 (3.2%)	31 (10.8%)	0.001
Surgical intervention	0 (0%)	6 (2.1%)	0.03
Laboratory tests post operative			
Hemoglobin (g/dl)	10.4 ± 1.3	10.7 ± 1.3	0.003
White blood cells (K/microL)	10.1 ± 2.5	10.6 ± 2.5	0.04
Platelets (K/microL)	192.2 ± 55.2	194.8 ± 53.6	0.6
Need for blood transfusion	2 (0.8%)	3 (1.1%)	1

Data are shown as number (%), mean \pm standard deviation or median (range), as appropriate