

CORRECTION

Open Access



Correction: Effect of a chimney-fitted improved stove on pregnancy outcomes in Northwest Ethiopia: a randomized controlled trial

Habtamu Demelash Enyew^{1,2*}, Abebe Beyene Hailu² and Seid Tiku Mereta²

Correction: *BMC Pregnancy Childbirth* 24, 192 (2024)

<https://doi.org/10.1186/s12884-024-06363-9>

Following publication of the original article [1], the authors reported an error in the affiliations of author Habtamu Demelash Enyew; and in figs. 1 and 2.

Habtamu Demelash Enyew^{1,2} should have been listed instead of Habtamu Demelash¹.

The online version of the original article can be found at <https://doi.org/10.1186/s12884-024-06363-9>.

*Correspondence:

Habtamu Demelash Enyew
enyew29@gmail.com

¹College of Health Sciences, Department of Public Health, Debre Tabor University, Debre Tabor, Ethiopia

²Institution of Health, Department of Environmental Health Science and Technology, Jimma University, Jimma, Ethiopia



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Below is the correct Fig. 1.



Fig. 1 Chimney fitted Mirt stove technology in the stock before installation and after the installation

Below is the incorrect Fig. 1.



Fig. 1 Chimney fitted Mirt stove technology in the stock before installation and after the installation

Below is the correct Fig. 2




Fig. 2 The Consolidated Standards of Reporting Trials (CONSORT) flow diagram

Below is the incorrect Fig. 2.




Fig. 2 The Consolidated Standards of Reporting Trials (CONSORT) flow diagram

The author group has been updated above and the original article [1] has been corrected.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 17 July 2024

References

1. Enyew HD, Hailu AB, Mereta ST. Effect of a chimney-fitted improved stove on pregnancy outcomes in Northwest Ethiopia: a randomized controlled trial. *BMC Pregnancy Childbirth*. 2024;24:192. <https://doi.org/10.1186/s12884-024-06363-9>.