**ERRATUM Open Access** 



# Erratum to: The use of balloons for uterine cervical ripening is associated with an increased risk of umbilical cord prolapse: population based questionnaire survey in Japan

Junichi Hasegawa<sup>1\*</sup>, Akihiko Sekizawa<sup>1</sup>, Tomoaki Ikeda<sup>2</sup>, Mitsuhiko Koresawa<sup>3</sup>, Isamu Ishiwata<sup>4</sup>, Masakiyo Kawabata<sup>5</sup>, Katsuyuki Kinoshita<sup>6</sup> and Group: Japan Association of Obstetricians and Gynecologists

#### **Erratum**

After publication of the original article [1], it came to the authors' attention that a few values in Table 2 were added incorrectly. The correct values are as follows: for total cases 'disk shape balloon' and 'ball type balloon' the incidence observed was 0.037 % (14/38348) and 0.060 % (28/46640), respectively. All other values within Table 2 are correct.

## **Author details**

<sup>1</sup>Department of Obstetrics and Gynecology, Showa University School of Medicine, 1-5-8 Hatanodai, Shinagawa-ku, Tokyo 142-8666, Japan. <sup>2</sup>Department of Obstetrics and Gynecology, Mie University School of Medicine, Mie, Japan. <sup>3</sup>Kawakita General Hospital, Tokyo, Japan. <sup>4</sup>Ishiwata Obstetrics and Gynecology Hospital, Ibaraki, Japan. <sup>5</sup>Doai Memorial Hospital, Tokyo, Japan. <sup>6</sup>Seijo-Kinoshita Hospital, Tokyo, Japan.

Received: 5 July 2016 Accepted: 5 July 2016 Published online: 12 July 2016

### Reference


Hasegawa J, Sekizawa A, Ikeda T, Koresawa M, Ishiwata I, Kawabata M, Kinoshita K, Group: Japan Association of Obstetricians and Gynecologists. The use of balloons for uterine cervical ripening is associated with an increased risk of umbilical cord prolapse: population based questionnaire survey in Japan. BMC Pregnancy Childbirth. 2015;15:4.

# Submit your next manuscript to BioMed Central and we will help you at every step:

- · We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- · Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit





<sup>1</sup>Department of Obstetrics and Gynecology, Showa University School of Medicine, 1-5-8 Hatanodai, Shinagawa-ku, Tokyo 142-8666, Japan Full list of author information is available at the end of the article

